2

RECEIVED CENTRAL FAX CENTER

## **AMENDMENT**

Please amend the Claims to read as follows:

FEB 2 6 2007

- 1. (original) A remedial healthcare nanodiamond composition, comprising:
  - a) a biologically acceptable carrier; and
  - b) a plurality of nanodiamond particles dispersed in the carrier with a dispersant, said nanodiamond particles having an average size of from about 0.5 nm to about 50 nm.
- 2. (currently amended) The remedial composition of claim 1, wherein the composition is a member selected from the group consisting of dental filling, lotion, deodorant, toothpaste, shampoo, antibiotic, dermal strip, skin cleansor, and exfoliant dispersant comprises from about 1 wt% to about 30 wt% of the composition.
- 3. (currently amended) The remedial composition of claim 2 1, wherein the dispersant is selected from the group consisting of anionic surfactants, electrolytes, alcohols, metal chlorides, metal nitrates, viscous biologically acceptable carriers, and mixtures thereof.
- 4. (currently amended) The remedial composition of claim 2 1, wherein the composition is a dental filling with the biologically acceptable carrier selected from composite resins, polymeric resins, ceramics, and mixtures thereof.
- 5. (currently amended) The remedial composition of claim 2 1, wherein the composition is a lotion with the biologically acceptable carrier selected from glycerin, alcohol, water, gels, and mixtures thereof.
- 6. (currently amended) The remedial composition of claim 2 1, wherein the composition is a deodorant with the biologically acceptable carrier selected from dimethicones, silicon fluids, glycerin, alcohols, water, gels, sorbitols, and mixtures thereof.

3

- 7. (original) The remedial composition of claim 1, wherein the plurality of nanodiamond particles comprise from about 1 wt% to about 60 wt% of the composition.
- 8. (original) The remedial composition of claim 1, wherein the plurality of nanodiamond particles have an average size from about 0.5 nm to about 10 nm.
- 9. (original) The remedial composition of claim 8, wherein the plurality of nanodiamond particles have an average size from about 0.5 nm to about 8 nm.
- 10. (original) A cosmetic nanodiamond composition, comprising:
  - a) a cosmetically acceptable carrier; and
  - b) a plurality of nanodiamond particles dispersed in the carrier with a dispersant, said nanodiamond particles having an average size of from about 0.5 nm to about 50 nm.
- 11. (previously presented) The cosmetic composition of claim 10, wherein the composition is a member selected from the group consisting of nail polish, eyeliner, lip gloss, and exfoliant.
- 12. (previously presented) The cosmetic composition of claim 11, wherein the composition is a nail polish.
- 13. (original) The cosmetic composition of claim 12, further comprising additives selected from the group consisting of dispersant, pigment, plasticizer, bubbling agent, solvent, stabilizer, and combinations thereof.
- 14. (original) The cosmetic composition of claim 12, wherein the dispersant is stearalkonium hectorite.
- 15. (original) The cosmetic composition of claim 10, wherein the plurality of nanodiamond particles comprise from about 1 wt% to about 50 wt% of the composition.

4

- 16. (original) The cosmetic composition of claim 10, wherein the plurality of nanodiamond particles have an average size from about 0.5 nm to about 10 nm.
- 17. (original) The cosmetic composition of claim 16, wherein the plurality of nanodiamond particles have an average size from about 0.5 nm to about 8 nm.
- 18. (original) The nanodiamond composition of either of claims 1 or 10, wherein the plurality of nanodiamond particles are produced by shock wave synthesis.
- 19. (original) A method of binding biological molecules, comprising the steps of:
  - a) formulating a nanodiamond composition containing a plurality of nanodiamond particles dispersed in a biologically acceptable carrier; and
  - b) contacting a biological material with the nanodiamond composition such that at least a portion of the biological material becomes bonded to the nanodiamond composition.
- 20. (original) The method of claim 19, further comprising the step of removing the nanodiamond composition containing biological material.
- 21. (original) The method of claim 19, wherein the plurality of nanodiamond particles have an average size from about 0.5 nm to about 50 nm.
- 22. (original) The method of claim 21, wherein the plurality of nanodiamond particles have an average size from about 0.5 nm to about 10 nm.
- 23. (original) The method of claim 19, wherein the plurality of nanodiamond particles comprise from about 1 wt% to about 60 wt% of the nanodiamond composition.
- 24. (previously presented) The method of claim 19, wherein the nanodiamond composition is a member selected from the group consisting of deodorant, toothpaste, shampoo, antibiotic, dermal strip, DNA test strip, and skin cleanser.

5

- 25. (currently amended) The method of claim 24, wherein the nanodiamond composition is a skin cleanser with a biologically acceptable carrier selected from glycerin, alcohols, collagen, elastin, gels, copolymeric materials, and mixtures thereof.
- 26. (currently amended) The method of claim 24, wherein the nanodiamond composition is a deodorant formulated as a solid, gel, or cream.
- 27. (original) The method of claim 19, wherein said biological material is selected from the group consisting of organic oils, sebum, bacteria, epithelial cells, amino acids, proteins, DNA, and combinations thereof.